

INDEX

A

Aerodynamics, physical laws affecting, 3-1 to 3-2
Aerographer's Mate (AG), 1-15
Air Traffic Controller (AC), 1-15
Aircraft aboard carriers, securing, 11-12 to 11-15
Aircraft avionics, 8-1 to 8-23
 active, 8-19
 airborne auxiliary power units (APU), 8-4
 airborne communications equipment, 8-13 to 8-14
 aircraft storage batteries, 8-1 to 8-3
 airspeed and mach number indicator, 8-6 to 8-7
 alternating current (ac) systems, 8-3 to 8-5
 altimeter, 8-6
 altitude indicator, 8-11
 antisubmarine warfare equipment (ASW), 7-19 to 7-20
 applications of radar, 8-17
 battery safety precautions, 8-2
 carrier aircraft electrical power 8-5
 communications and navigation equipment, 8-13 to 8-18
 echo principles, 8-16 to 8-17
 electronic countermeasures, 8-19
 emergency electrical power, 8-3 to 8-4
 emergency power generators, 8-3 to 8-4
 engine instruments, 8-8 to 8-10
 exhaust gas temperature indicator, 8-8
 fuel pressure indicator, 8-7
 fuel quantity indicator, 8-9
 gyro compass, 8-12
 gyroscopes, 8-11 to 8-12
 horizontal situation indicator, 8-12
 hydraulic pressure indicator, 8-7 to 8-8
 identification friend or foe (IFF), 8-18 to 8-19
 lead-acid battery, 8-1 to 8-2
 long-range communications, 8-13
 magnetic anomaly detection (MAD), 8-20
 magnetic (standby) compass, 8-12
 navigational computers, 8-15 to 8-16
 navigational equipment, 8-14 to 8-16
 navigational instruments, 8-12
 oil pressure indicator, 8-7
 passive, 8-19
 pitot-static system, 8-5 to 8-6
 pressure indicating gauges, 8-7
 radar, 8-16 to 8-18
 rate of climb, 8-7
 servicing system, 8-5
 short-range communications, 8-13 to 8-14
 sonobuoys, 8-19 to 8-20

- tachometer, 8-9
- tactical air navigation system (TACAN), 8-14
- turbine inlet temperature 8-8
- turn and bank indicator, 8-12
- use in fire control, 8-18
- use in tactical air control, 8-18
- vertical scale indicator, 7-9 to 7-10
- Aircraft basic construction, 4-1 to 4-23
 - arresting gear, 4-14
 - bending, 4-20
 - catapult equipment, 4-15
 - compression, 4-20
 - fixed-wing aircraft, 4-1 to 4-15
 - flight control surfaces, 4-6 to 4-11
 - fuselage, 4-1 to 4-3
 - fuselage, 4-16
 - landing gear, 4-12 to 4-14
 - main rotor assembly, 4-17 to 4-18
 - materials of construction, 4-22 to 4-23
 - metallic materials, 4-22 to 4-23
 - nonmetallic materials, 4-23
 - pylon, 4-18
 - rotor head, 4-18
 - rotary wing, 4-17
 - rotary-wing aircraft, 4-15 to 4-19
 - secondary flight controls, 4-10
 - shear, 4-20
 - specific action of stresses, 4-20 to 4-21
 - stabilizers, 4-5 to 4-6
 - structural stress, 4-19 to 4-20
 - tail landing gear, 4-16 to 4-17
 - tail rotor assembly, 4-18 to 4-19
 - tension, 4-20
 - torsion, 4-21
 - varying stress, 4-21
 - wings, 4-4 to 4-5
- Aircraft carrier, organization of an, 2-14 to 2-20
 - air department, 2-16 to 2-17
 - aircraft intermediate maintenance department (afloat), 2-19 to 2-20
 - carrier air wing, 2-15 to 2-17
 - dental department, 2-18
 - engineering department, 2-18
 - medical department, 2-18
 - navigation department, 2-18
 - operations department, 2-16
 - supply department, 2-18
 - weapons department, 2-18
- Aircraft drawings, 5-6
- Aircraft handling, air station, 11-19 to 11-20
- Aircraft hardware, 6-1 to 6-31

- aircraft bolts, 6-7 to 6-10
- aircraft electrical hardware, 6-23 to 6-25
- blind rivets, 6-3
- bonding, 6-25
- camloc fasteners, 6-14 to 6-15
- connectors, 6-24
- cotter pins, 6-29
- countersunk head rivets, 6-4
- dzus fasteners, 6-15
- electrical connectors, 6-24
- flat head pins, 6-19
- flexible connectors/clamps, 6-15
- general safety wiring methods, 6-29 to 6-30
- machine screws, 6-13
- miscellaneous fasteners, 6-15
- nonsellocking nuts, 6-11
- nuts, 6-10 to 6-12
- plain washers, 6-14
- rivets, 6-1 to 6-5
- rivnuts, 6-5
- safety methods, 6-29
- safety wiring, 6-30
- safetying of nuts and bolts, 6-11
- screws, 6-13
- self-locking nuts, 6-11
- self-tapping screws, 6-13
- snap rings, 6-15
- solid rivets, 6-1
- special washers, 6-14
- Aircraft hardware—Continued
 - structural screws, 6-13
 - taper pins, 6-14
 - terminals, 6-24
 - threaded fasteners, 6-15
 - turnbuckles, 6-21 to 6-22 and 6-30
 - turnlock fasteners, 6-14 to 6-15
 - washers, 6-14
 - wire and cable, 6-24
- Aircraft hoisting slings, 5-26 to 5-27
- Aircraft jacking, 5-30 to 5-32
- Aircraft ordnance, 9-1 to 9-77
 - 20-mm automatic aircraft guns, 9-55 to 9-58
 - air launched guided missiles, 9-25 to 9-33
 - aircraft bomb-type ammunition, 9-2
 - aircraft fire-extinguisher cartridge, 9-64
 - aircraft laid mines, 9-17 to 9-18
 - Advanced Medium Range Air-to-Air Missile (AMRAAM), 9-38 to 9-39
 - ADU-299 missile launcher adapter, 9-55
 - antitank bomb cluster, 9-19 to 9-21
 - bomb ejector racks, 9-68 to 9-72
 - bomb racks, 9-64 to 9-72

- cartridges and cartridge-actuated devices (CADs), 9-63 to 9-64
- CCU-45/B impulse cartridge 9-64
- guided missile launchers, 9-45 to 9-55
- full-scale practice bombs, 9-23 to 9-24
- fuzing, 9-31
- Harpoon, 9-33 to 9-35
- high and low explosives, 9-3
- High-Speed Antiradiation Missile (HARM), 9-39 to 9-40
- identification and marking of ordnance, 9-5
- impulse and delay cartridges, 9-64
- laser guided bombs, 9-14 to 9-16
- LAU-7 guided missile launcher, 9-46 to 9-48
- LAU-115 guided missile launcher, 9-49
- LAU-116 guided missile launcher, 9-50
- LAU-117 guided missile launcher, 9-51
- LAU-118 guided missile launcher, 9-51
- LAU-127 guided missile launcher, 9-52
- M279 guided missile launcher, 9-53 to 9-54
- Maverick, 9-39
- miscellaneous cartridges, 9-64
- Mk 1 Mod 3 impulse cartridge, 9-64
- Mk 19 Mod 0 impulse cartridge, 9-64
- Mk 79 Mod 0 illumination signal kit, 9-60 to 9-62
- Mk 80 (series) general-purpose bombs, 9-8 to 9-9
- Mk 97 Mod 0 impulse cartridge, 9-64
- MK 108 Mod 1 Illumination Signal Kit 9-62 to 9-63
- Mk 124 Mod 0 marine smoke and illumination signal, 9-60
- personnel escape device cartridges, 9-64
- practice bombs, 9-22 to 9-24
- pyrotechnics, 9-58 to 9-62
- Sidewinder, 9-35 to 9-36
- Sparrow, 9-32 to 9-33
- subcaliber practice bombs, 9-22
- terminology, 9-1 to 9-4
- TOW missile launcher 9-54 to 9-55
- Aircraft power plants, 7-1 to 7-17
 - engine identification, 7-13 to 7-17
 - ANA Bulletin No. 306M designation system, 7-13 to 7-15
 - accessory section, 7-12
 - Brayton cycle, the, 7-12 to 7-13
 - component controls, systems, and sections, 7-10 to 7-12
 - engine noise, 7-16 to 7-17
 - exhaust area, 7-16
 - fuel control, 7-10
 - gas turbine engines, 7-3 to 7-7
 - ignition system, 7-10
 - intake ducts, 7-16
 - jet propulsion engines, 7-2 to 7-12
 - lubrication system, 7-10 to 7-11
 - manufacturer's symbol, 7-13 and 7-15
 - MIL-STD-1812 designation system, 7-15 to 7-16

- model indicator, 7-16
- model numbers, 7-14
- power plant safety precautions, 7-16
- special designations, 7-14
- rocket engines, 7-1 to 7-3
- type indicator, 7-15 to 7-16
- type symbols, 7-13
- Aircrew survival equipment, 12-1 to 12-59
 - anti-g coverall, 12-15 to 12-16
 - antiexposure coverall, 12-10
 - canopy, 12-22
 - cranial helmet assembly, 11-3
 - distress light (strobe), 12-49
 - flight boots, 12-4
 - flight clothing, 12-1 to 12-17
 - flight coveralls (cold weather), 12-3 to 12-4
 - flight coveralls (summer weight), 12-2 to 12-3
 - flight gloves, 12-4
 - flotation assembly, 12-36 to 12-40
 - individual survival kit, 12-51 to 12-53
 - integrated torso harness suit, the, 12-28
 - helicopter rescue strop, 12-53
 - helmet, 11-3
 - HGU-84/P helmet, 12-5 to 12-6
 - Life preservers, 12-36
 - Life preserver assembly LPU-32/P, 12-37 to 12-38
 - Life preserver assembly LPU-34/P, 12-38 to 12-39
 - Life preserver assembly LPU-36/P, 12-39 to 12-40
 - Mk 79 Mod 0 illumination signal kit, 12-48
 - Mk-124 Mod 0 marine smoke and illumination signal, 12-48
 - multiplace life rafts, 12-41 to 12-43
 - one-man life raft, 12-40 to 12-41
 - parachutes, 12-17 to 12-35
 - parachute container, 12-23
 - parachute harnesses, 12-23 to 12-24
 - personal survival equipment, 12-46 to 12-56
 - pilot chute, 12-21
 - rescue, 12-59
 - rescue equipment, 12-53 to 12-56
 - rescue net, 12-54
 - signaling mirror, 12-47
 - survival items, 12-51
- Aircraft survival equipment—Continued
 - suspension lines, 12-22
 - twelve-man life raft, 12-43
 - water bag, 12-52
- Aircrew survival equipmentman, (PR), 1-19
- Airfoil, the 3-3 to 3-4
- Airman duties, 1-19
- Airman rate, history of the, 1-12
- Analysis methods, 5-45

Aviation boatswain's mate, aircraft handling (ABH), 1-14
Aviation boatswain's mate, fuels (ABF), 1-14
Aviation boatswain's mate, launching and recovery equipment (ABE), 1-14
Aviation electrician's mate (AE), 1-15
Aviation electronics technician (AT[I] and AT[O]), 1-17 to 11-18
Aviation machinist's mate (AD), 1-15
Aviation maintenance administrationman, (AZ), 1-18
Aviation ordnanceman (AO), 1-17
Aviation ratings, 1-13
Aviation structural mechanic (AM), 1-16
Aviation structural mechanic, safety equipment (AME), 1-16
Aviation support equipment technician (AS), 1-17
Axle jacks, 5-30

B

Batteries, aircraft storage, 8-1 to 8-3
 battery safety precautions, 8-2
 battery (lead-acid), 8-1 to 8-2
 battery (nickel-cadmium), 8-2
Beech Aircraft Texan, T-6, 2-31
Bell Cobra, AH-1, 2-29
Bell Huey, UH-1, 2-29
Bell Jet Ranger, TH-57, 2-30
Boeing Clipper, C-40, 2-27
Boeing Poseidon, P-8, 2-25
Boeing Osprey, V-22, 2-30
Bolts, aircraft, 6-7 to 6-10
Bomb, body, 9-6
Bomb, fin assemblies, 9-10 to 9-13
Bomb, fuzing, 9-6
Bomb ejector rack, 9-68 to 9-72
Bomb rack, 9-64 to 9-72
Bomb-type ammunition, aircraft, 9-2
Bombs, Mk 80 (series) general-purpose, 9-7 to 9-13
Bombs, practice, 9-22 to 9-23
 full-scale practice bombs, 9-23 to 9-24
 subcaliber practice bombs, 9-22
Boots, flight, 12-4
Brayton cycle, the, 7-17 to 7-18
B-1 maintenance platform, 10-14 to 10-15
B-4 maintenance platform, 10-15

C

CADs (cartridges and cartridge-actuated devices), 9-63 to 9-64
Carrier divisions, 2-19 to 2-20
Cartridges miscellaneous, 9-64
Catapult launching, 11-6
Chain of command, naval aviation, 2-1
CO2 fire extinguisher, 13-4 to 13-5
Communications and navigation equipment, 8-13 to 8-14
Computers, navigation, 8-15 to 8-16

- Cotter pins, 6-29
- Coverall, antiexposure, 12-10
- Coveralls, anti-g, 12-15 to 12-16
- Cranes, crash and salvage, 10-4 to 10-5
- Crash rescue and firefighting, 13-1 to 13-28
 - aircraft firefighting and rescue vehicles, 13-10 to 13-11
 - aircraft fire hazards, 13-11 to 13-13
 - armament, 13-15
 - battery switch, 13-15
 - carbon dioxide, 13-4 to 13-5
 - chemical foam (AFFF), 13-4
 - chemistry of fire, 13-1 to 13-2
 - classes of fire, 13-2 to 13-3
 - CO2 fire extinguisher, 13-4 to 13-5
 - dry chemical (PKP), 13-5 to 13-6
 - engine accessory section, 13-15
 - ejection seat, 13-16
 - extinguishing agents, 13-3 to 13-6
 - fire-fighting equipment, 13-6 to 13-9
 - fire-fighting techniques, 13-19 to 13-24
 - firemain system aboard ship, 13-6
 - fluid line identification, 13-16 to 13-18
 - fuel spills, 13-15
 - Halon 1211, 13-5
 - hot brakes, 13-21 to 13-23
 - hydraulic system, 13-16
 - operating vehicles, 11-1 to 11-2
 - ordnance, 13-13
 - Oshkosh T-3000 firefighting truck, 13-10
 - P-25 truck 13-10 to 13-11
 - protective clothing, 13-9 to 13-10
 - safety precautions, 11-18 to 11-19
 - seat-ejection, 13-16
 - selector valve, 13-15
 - tools, 13-8 to 13-9
 - water, 13-3 to 13-4
 - wheel fires, 13-21 to 13-22
- Crash and salvage equipment, 10-4 to 10-5
 - A/S32A-35A (CVCC) aircraft crash handling and salvage crane, 10-4
 - A/S32A-36A (AACC) amphibious assault ship crane, 10-5

D

- Designations, guided missile and rocket, 9-27
- Diagrams, 5-11
- Directing taxiing aircraft, 11-6 to 11-7

E

- Echo principles, 8-16 to 8-17
- Electrical failures, 5-18
- Electrical power, emergency, 8-3
- Electrical system hardware, aircraft, 6-23 to 6-25

- Electronic countermeasures, 8-19
- Emergency recovery equipment, 11-9 to 11-10
- Engine identification, 7-13 to 7-16
- Engine instruments, 8-8 to 8-10
- Equipment color and marking of, 11-3 to 11-5
- Equipment, types of, 10-1 to 10-15
 - handling equipment, 10-1 to 10-3
 - servicing equipment, 10-7 to 10-12
- Exhaust gas temperature indicator, 8-8
- Explosives, high and low, 9-3
- Extinguishing agents, 13-3 to 13-6
 - carbon dioxide, 13-4 to 13-5
 - chemical foam (AFFF), 13-4
 - dry chemical (PKP), 13-5 to 13-6
 - Halon 13-5
 - water, 13-4 to 13-5

F

- Fasteners, threaded, 6-15
- Fire, chemistry of, 13-1 to 13-3
- Fire hazards, aircraft, 13-11 to 13-13
- Fire-extinguisher cartridge, aircraft, 9-64
- Fire-fighting and rescue vehicles, aircraft, 13-10 to 13-11
- Firefighting equipment, 13-6 to 13-9
- Firefighting techniques, 13-19 to 13-24
- Firemain system aboard ship, 13-6
- Fixed wing aircraft, 3-5 to 3-6
- Flat head pins 6-19
- Flexible connectors/clamps, 6-15
- Flight clothing, 12-1 to 12-16
- Flight coveralls (summer weight), 12-2
- Flight, forces affecting, 3-4
 - drag, 3-4
 - lift, 3-4
 - thrust, 3-4
 - weight, 3-4
- Flotation assembly, 11-3
- Fluid contamination, 5-43 to 5-44
- Fluid line identification, 13-16 to 13-18
- Fluid sampling, 5-38 to 5-39
- Forklift truck, 10-7
- Fuel pressure indicator, 8-7
- Fuel quantity indicator, 8-9
- Fuels, types and identifying characteristics of various, 13-11 to 13-12

G

- Gas turbine engines, 7-3 to 7-7
- General aircraft maintenance, 5-1 to 5-52
 - aircraft jacking, 5-30 to 5-32
 - aircraft drawings, 5-6
 - aircraft hoisting slings, 5-26 to 5-27

- analysis methods, 5-45
- axle jacks, 5-30
- diagrams, 5-11
- electrical failures, 5-18
- fluid contamination, 5-43 to 5-44
- fluid sampling, 5-38 to 5-39
- general hazards, 5-34 to 5-35
- inorganic solid contamination, 5-43
- interpretation of drawings, 5-8
- jacking procedures, 5-35 to 5-38
- lubrication, 5-19
- lubricants, 5-19 to 5-25
 - methods of application, 5-21
 - maintenance practices, 5-40 to 5-41
- maintenance procedures, 5-39 to 5-40
- meaning of lines, 5-6
- metallic contamination, 5-43
- occupational awareness, 5-3
- organic contamination, 5-42
- particulate contamination, 5-41 to 5-42
- portable oil diagnostic system, 5-46 to 5-47
- preoperational inspection, 5-33
- quality assurance (QA), 5-2
- sampling points, 5-44 to 5-45
- testing and operational checks, 5-17
- tool containers, 5-1
- tool control program, 5-1
- troubleshooting aircraft systems, 5-13
- troubleshooting procedures
- types of contamination, 5-41
- wire rope, 5-28 to 5-29
- work center responsibilities, 5-3
- General hazards, 5-34 to 5-35
- Global positioning system (GPS), 8-14 to 8-15
- Glossary, AI-1 to AI-7
- Gloves, flight, 12-4 to 12-5
- Grumman Hawkeye, E-2, 2-26
- Grumman Greyhound, C-2, 2-26
- Grumman Prowler, EA-6B, 2-24
- Guided missile and rocket designations, 9-27
- Guided missile launchers, 9-45 to 9-55
- Guided missiles, air-launched, 9-25 to 9-33
 - Advanced Medium Range Air-to-Air Missile (AMRAAM), 9-38 to 9-39
 - Harpoon, 9-33 to 9-35
 - High-Speed Antiradiation Missile (HARM), 9-39 to 9-40
 - Maverick, 9-39
 - Sidewinder, 9-35 to 9-36
 - Sparrow, 9-32 to 9-33
- Guns, 20-mm automatic aircraft, 9-55 to 9-58
- Gyro compass, 8-12
- Gyroscopes, 8-11 to 8-12

H

- Hand signals, 11-10 and 11-23
- HARM (High-Speed Antiradiation Missile), 9-39 to 9-40
- Helicopter handling, 11-21
- Helicopter rescue strop, 12-53
- Helmet(s), 12-5 to 12-6
- Horizontal situation indicator, 8-12
- Hydraulic jacks, 10-14
- Hydraulic pressure indicator, 8-7 to 8-8
- Hydraulic power supply, 10-10

I

- IFF (identification friend or foe), 8-18 to 8-19
- Illumination devices, hand-held, 9-58 to 9-63
- Impulse and delay cartridges, 9-64
- Inorganic solid contamination, 5-43
- Interpretation of drawings, 5-8

J

- Jacking procedures, 5-35 to 5-38
- Jet propulsion engines, 7-2 to 7-12
 - gas turbine engines, 7-3 to 7-7
 - rocket engines, 7-1 to 7-3

L

- Landing gear, fixed-wing aircraft, 4-12 to 4-13
- Landing gear group, rotary-wing aircraft, 4-16
- Laser guided bombs, 9-14 to 9-16
- Leadership, 1-20
- Life preservers, 12-36
- Life preserver assembly LPU-32/P, 12-37 to 12-38
- Life preserver assembly LPU-34/P, 12-38 to 12-39
- Life preserver assembly LPU-36/P, 12-39 to 12-40
- Life rafts, 12-40 to 12-43
 - multiplace life rafts, 12-41 to 12-43
 - one-man life raft, 12-40 to 12-41
- Lockheed Hercules, C-130, 2-27
- Lockheed Martin Lightning, F-35, 2-23
- Lockheed Orion, P-3, 2-25
- Lubrication, 5-19
- Lubricants, 5-19 to 5-25
 - methods of application, 5-21

M

- MAD (magnetic anomaly detection), 8-20
- Magnetic (standby) compass, 8-12
- Maintenance practices, 5-40 to 5-41
- Maintenance procedures, 5-39 to 5-40
- Maintenance requirements, 10-15 to 10-16
- Maintenance platforms, 10-14 to 10-15

- McDonnell-Douglas Goshawk, T-45, 2-31
- McDonnell-Douglas Harrier II, AV-8, 2-24
- McDonnell-Douglas Hornet, F/A-18, 2-23
- Meaning of lines, 5-6
- Metallic contamination, 5-43
- Metallic materials, 4-22 to 4-23
- Mines, aircraft laid, 9-17 to 9-18
 - Mk 62, 9-17
 - Mk 65, 9-18
- Mission of naval aviation, 1-1 to 1-2
 - history of naval aviation 1-2 to 1-12
 - description of aviation ratings, 1-14 to 1-19
 - historic events of naval aviation, 1-2 to 1-12
 - history of the airman rate, 1-12
 - history of naval aviation, 1-2 to 1-12
 - leadership, 1-20
 - major naval aviation battles, 1-2 to 1-12
 - military and professional requirements, 1-20
 - Navy training courses, 1-20
 - sources of information, 1-20
 - studying for advancement, 1-20
 - training, 1-19 to 1-20
- Motion, laws of, 3-1 to 3-2
 - Newton's first law of motion, 3-1
 - Newton's second law of motion, 3-1
 - Newton's third law of motion, 3-2
- Multiengine aircraft handling, 11-20 to 11-21

N

- Naval Aircrewman (AW), 1-18
 - Aircrewman Mechanical (AWF) , 1-18
 - Aircrewman Operator (AWO), 1-18
 - Aircrewman Tactical Helicopter (AWR), 1-18
 - Aircrewman Helicopter (AWS), 1-18
 - Aircrewman Avionics (AWV), 1-18
- Naval air facility, 2-9
- Naval air station (NAS) organization, 2-3 to 2-9
 - administration department, 2-4
 - air operations department, 2-5
 - comptroller department, 2-4
 - dental department, 2-5
 - fleet readiness center, 2-6 to 2-8
 - medical department, 2-5
 - Naval aviation depots, 2-9
 - public works department, 2-5
 - security department, 2-4 to 2-5
 - supply department, 2-5
 - weapons department, 2-5
- Naval aviation, history of, 1-2 to 1-12
- Naval aviation, the mission of, 1-1 to 1-2
- Navigational instruments, 8-12

Nitrogen service unit (NAN-4), 10-12
Nonmetallic materials, 4-23
Nuts, 6-10 to 6-11
 nonself-locking nuts, 6-11
 self-locking nuts, 6-11

O

Occupational awareness, 5-3
Oil pressure indicator, 8-7
Ordnance, aircraft, 9-1 to 9-77
Ordnance, identification and marking of, 9-5
Organic contamination, 5-42
Organization of naval aviation, 2-1 to 2-31
 administration department, 2-4
 air department, 2-16 to 2-18
 air operations department, 2-5
 aircraft intermediate maintenance department (afloat), 2-19 to 2-20
 aircraft squadron departments, 2-12 to 2-14
 carrier air wing, 2-15 to 2-17
 carrier divisions, 2-19 to 2-20
 carrier squadrons, 2-9 to 2-10
 commanding officer (CO), 2-11
 composite squadrons, 2-10
 comptroller department, 2-4
 dental department, 2-5
 dental department, 2-18
 designation and types of naval aircraft, 2-21 to 2-31
 engineering department, 2-18
 executive officer (XO), 2-11
 maintenance administration, 2-13
 maintenance/material control officer, 2-12
 maintenance officer, 2-11
Organization of naval aviation—Continued
 medical department, 2-5
 medical department, 2-18
 naval air facility, 2-9
 naval air station (NAS) organization, 2-3 to 2-7
 naval aviation chain of command, 2-2
 naval aviation depots, 2-9
 navigation department, 2-18
 noncombatant squadrons, 2-10
 operations department, 2-12
 organization of a squadron, 2-10 to 2-14
 organization of an aircraft carrier, 2-14 to 2-20
 patrol squadrons, 2-10
 public works department, 2-5
 quality assurance/analysis, 2-7
 security department, 2-4 to 2-5
 supply department, 2-5
 supply department, 2-18
 types of divisions, 2-13

types of squadrons, 2-9 to 2-10
typical carrier schedule, 2-20
weapons department, 2-5 and 2-18
Oxygen servicing unit, 10-11

P

Parachute container, 12-23
Parachute harnesses, 12-23 to 12-24
Parachutes, 12-17 to 12-35
Particulate contamination, 5-41 to 5-42
Personnel escape device cartridges, 9-64
Pilot chute, 12-21
Pitot-static system, 8-5 to 8-6
 airspeed and mach number indicator, 8-6 to 8-7
 altimeter, 8-6
 rate of climb, 8-7
Plane-handling crews, 11-4
Portable oil diagnostic system, 5-46 to 5-47
Power generators, emergency, 8-3 to 8-4
Preoperational inspection, 5-33
Principles of flight, 3-1 to 3-8
 airflow around an airfoil, 3-3 to 3-4
 airfoil, the, 3-3 to 3-4
 airfoil terminology, 3-3
 Bernoulli's principle, 3-2
 directional control, 3-7
 drag, 3-4
 forces affecting flight, 3-4
 hovering, 3-7
 lateral axis, 3-5
 laws of motion, 3-1 to 3-2
 lift, 3-4 and 3-6 to 3-7
 longitudinal axis, 3-5
 Newton's first law of motion, 3-1
 Newton's second law of motion, 3-2
 Newton's third law of motion, 3-2
 physical laws affecting aerodynamics, 3-1 to 3-2
 rotational axes, 3-5 to 3-6
 thrust, 3-4
 torque reaction, 3-7 to 3-8
 weight, 3-4
 vertical axis, 3-5
Protective clothing, 13-9 to 13-10
Pyrotechnics, 9-58 to 9-62

Q

Quality assurance (QA), 5-2

R

Radar, 8-16 to 8-18
References, All-1 to All-3

- Rescue equipment, 12-53 to 12-56
- Rivets, blind, 6-3
- Rivets, solid, 6-1
 - dimpled rivets, 6-2
 - plain rivets, 6-2
 - raised cross rivets, 6-2
 - raised dashes rivets, 6-2
 - raised teat rivets, 6-2
- Rivnuts, 6-5
- Rocket engines, 7-1 to 7-3
- Rotational axes, 3-5
 - lateral axis, 3-5
 - longitudinal axis, 3-5
 - vertical axis, 3-5
- Rotor head, 4-18

S

- Safety precautions, general flight deck, 11-18
- Safety precautions, power plant, 7-16
- Sampling points, 5-44 to 5-45
- Schedule, typical carrier, 2-20
- Schools, Navy, 1-13
- Screws, 6-13
 - self-tapping screws, 6-13
 - structural screws, 6-13
- Shipboard fire-fighting vehicle, A/S32P-25, 10-5 to 10-6
- Sikorsky Sea Hawk, H-60, 2-28
- Sikorsky Sea Stallion, H-53, 2-28
- Snap rings, 6-19
- Sonobuoys, 8-19 to 8-20
- Spotting aircraft, 11-9
- Squadron, organization of a, 2-10 to 2-14
 - aircraft squadron departments, 2-12 to 2-13
 - commanding officer (CO), 2-11
 - executive officer (XO), 2-11
 - maintenance administration, 2-13
 - maintenance/material control officer, 2-12
 - maintenance officer, 2-11
 - quality assurance analysis, 2-13
 - types of divisions, 2-13 to 2-14
- Squadrons, types of, 2-9 to 2-10
 - carrier squadrons, 2-9 to 2-10
 - composite squadrons, 2-10
 - patrol squadrons, 2-10
- Structural stress, 4-19 to 4-20
 - bending, 4-20
 - compression, 4-20
 - shear, 4-20
 - tension, 4-20
 - torsion, 4-21
 - varying stress, 4-21

Support equipment, 10-1 to 10-20

- A/M24M-5 static frequency converter, 10-9
- A/M26U-4 (NAN-4) nitrogen servicing unit, 10-12
- A/M32C-21 air-conditioner, 10-13
- A/M32C-23 Large-Land-Based Air-Conditioner, 10-13
- A/M27T-14 electrical hydraulic portable power supply, 10-10
- A/M27T-15 diesel hydraulic portable power supply, 10-11
- A/S32A-31A aircraft towing tractor, 10-1
- A/S32A-32 tow tractor, 10-2
- A/S32A-35A (CVCC) aircraft crash and salvage crane, 10-4
- A/S32A-36A (CVCC) aircraft crash and salvage crane, 10-5
- A/S32A-45 mid-range tow tractor (MRTT), 10-3
- A/S32A-48 large land-based tow tractor, 10-3
- A/S32M-19, heavy maintenance crane (HMC), 10-6
- A/S32P-25 shipboard fire-fighting vehicle, 10-5
- A/U26U-1 oxygen servicing unit, 10-11
- catapult launching, 11-6
- cold weather procedures, 11-14 to 11-15
- general safety precautions for handling aircraft aboard carriers, 11-18 to 11-19
- hazards of SE, 11-2
- helicopter handling, 11-22
- helicopter tie-down and securing procedures, 11-22
- heavy weather procedures, 11-13 to 11-14
- hydraulic jacks, 10-14
- landing procedure, 11-7 to 11-8
- launching procedure, 11-6 to 11-7
- maintenance requirements, 10-15
- MSU-200NAV Air Start Unit, 10-9
- multiengine aircraft handling 11-20 to 11-21
- NC-10C mobile electric power plant, 10-8
- normal weather conditions, 11-13
- operating equipment around aircraft, 11-1 to 11-2
- plane-handling crews, 11-4
- preoperational maintenance, 10-15
- qualifications for operating SE, 10-16 to 10-17
- recovery, 11-8
- securing aircraft aboard carriers, 11-12
- securing aircraft ashore, 11-21
- servicing equipment, 10-7 to 10-12
- (SHH) shipboard helo handler, 10-2
- spotting aircraft, 11-9
- TMU 70 low-loss, closed-loop, liquid oxygen storage tank, 10-12

Survival equipment, personal, 12-46 to 12-56

T

TACAN (tactical air navigation system), 8-14

Tachometer, 8-9

Tail rotor assembly, 4-18 to 4-19

- pylon, 4-18

- rotary rudder blades, 4-17 to 4-18

- rotary rudder head, 4-18

Taper pins, 6-19
Testing and operational checks, 5-17
Tool containers, 5-1
Tool control program, 5-1
Tractors, 10-1
Training, 1-19 to 1-20
Training courses, Navy, 1-20
Troubleshooting aircraft systems, 5-13
Troubleshooting procedures, 5-13
Turbine inlet temperature indicator, 8-8
Turn and bank indicator, 8-12
Turnbuckles, 6-21 to 6-22
Turnlock fasteners, 6-14 to 6-15
 Camloc fasteners, 6-14 to 6-15
 Dzus fasteners, 6-15
Types of contamination, 5-41

V

Vertical axis, 3-5
Vertical scale indicator, 7-9 to 7-10

W

Washers, 6-14
 ball socket washers, 6-14
 countersunk plain washers, 6-14
 special washers, 6-14
 tapper pin washers, 6-14
Wire rope, 5-28 to 5-29
Work center responsibilities, 5-3